CONFIDENTIAL Suggested List Price No. 123

For Commercial Food Waste Disposing Systems

Effective July 1, 2023

Replaces Suggested List Price No. 122.2, Dated July 1, 2022

PRODUCT INFORMATION:

1-800-821-3136 816-363-1030 Email: info@salvajor.com

TO PLACE AN ORDER:

1-800-SALVAJOR 816-363-1030

1-800-725-8256

Email: sales@salvajor.com

Terms & Conditions:

- Terms are net 30 days, F.O.B. Kansas City, Missouri.
- All prices in U.S. dollars.
- All prices are subject to change without notice.
- All specifications are subject to change without notice.
- All orders are subject to acceptance by The Salvajor Company, Kansas City, MO.

TECHNICAL SERVICE:

1-888-SALVAJOR 816-363-1030

1-888-725-8256

Email: service@salvajor.com

FAX:

1-800-832-9373 816-363-4914

WEBSITE:

www.salvajor.com

- State and local taxes not included in price shown.
- Complete Terms & Conditions of Sale can be found on the warranty form.
- Written acceptance necessary before returning any items to the factory.
- Returned items to be freight prepaid.
- Returned items credited, less 20% or \$50 minimum rehandling and reconditioning cost.

Freight Classification: Food Waste Disposers ■ Item 121600 ■ Class 85

DISPOSERS & CONTROLS

Disposers - Base Units

HP	MODEL	WGT/LBS	PRICE
1	100	81	\$2,880
2	200	85	\$4.082

VOLTAGES AVAILABLE:

1 PHASE: ■115V ■208V ■230V 3 PHASE: ■208V ■230V ■460V

Specify ONE OPERATING VOLTAGE and PHASE when ordering.



HP MODEL WGT/LBS PRICE

3 300 99 \$5,422

5 500 105 \$7,422

(UL)

VOLTAGES AVAILABLE:

3 PHASE: ■208V ■230V ■460V

Models 300 and 500 furnished with single support leg. Models 100 and 200 leg is optional.

Disposer Controls - Nema 4 Stainless Steel Enclosure





Manual Start-Stop Available with Line Disconnect (LD)

MRSS



Manual Reversing Start-Stop

Available with Line Disconnect (LD)

ARSS-2



Automatic Reversing Start-Stop

ARSS



Automatic Reversing Start-Stop

Available with Line Disconnect (LD)

WSP

Water Saving Package

ARSS-LD Control with Operator Sensor.

Includes Disposer.

Available with all disposer models.

U.S. Pat. No. 7,815,134



③●



DISPOSER ASSEMBLIES

SA Assembly with Disposer, Sink Collar and Control								⊕ C €
	MSS	MSS-LD	MRSS	MRSS-LD	ARSS-2	ARSS	ARSS-LD	WSP
100-SA	\$3,850	\$4,260	\$4,180	\$4,590	\$5,142	\$6,540	\$6,950	\$7,296
1 HP	P \$4,068	P \$4,478	P \$4,398	P \$4,808	P \$5,360	P \$6,758	P \$7,168	P \$7,514
88 lbs.	PP \$4,392	PP \$4,802	PP \$4,722	PP \$5,132	PP \$5,684	PP \$7,082	PP \$7,492	PP \$7,838
200-SA	\$5,032	\$5,442	\$5,376	\$5,786	\$6,484	\$7,656	\$8,064	\$8,416
2 HP	P \$5,250	P \$5,660	P \$5,596	P \$6,004	P \$6,702	P \$7,874	P \$8,284	P \$8,634
92 lbs.	PP \$5,574	PP \$5,984	PP \$5,918	PP \$6,328	PP \$7,026	PP \$8,198	PP \$8,606	PP \$8,958
300-SA 3 HP 106 lbs.	\$6,188	\$6,598	\$6,522	\$6,930	\$7,568	\$8,850	\$9,260	\$9,610
	P \$6,406	P \$6,816	P \$6,740	P \$7,150	P \$7,786	P \$9,068	P \$9,478	P \$9,828
	PP \$6,730	PP \$7,138	PP \$7,064	PP \$7,472	PP \$8,110	PP \$9,392	PP \$9,802	PP \$10,152
500-SA 5 HP 112 lbs.	\$8,158	\$8,566	\$8,520	\$8,930	\$9,648	\$10,818	\$11,228	\$11,572
	P \$8,376	P \$8,786	P \$8,740	P \$9,148	P \$9,866	P \$11,036	P \$11,446	P \$11,790
	PP \$8,700	PP \$9,108	PP \$9,062	PP \$9,472	PP \$10,190	PP \$11,360	PP \$11,770	PP \$12,114
	Add 8 lbs.	Add 9 lbs.	Add 16 lbs.	Add 17 lbs.	Add 21 lbs.	Add 22 lbs.	Add 23 lbs.	Add 27 lbs. Includes

Add 2 lbs. for P-Type Control Panel: Mounted solenoid valve and flow control.

Add 3lbs. for PP-Type Control Panel: Mounted solenoid valve, flow control and pressure switch.

Designate DISPOSER MODEL, COLLAR SIZE (3 ½" or 6 ½"), CONTROL, ONE OPERATING VOLTAGE and PHASE when ordering.

ORDERING EXAMPLE:

200 - SA - 61/2 - MSS - 208V - 3 PHASE

Operator Sensor



3 HP and 5 HP only

For Short Top Housing designate SA-S

Reduces overall height 31/2". Does not include water inlet.

EQUIPMENT FURNISHED:

DISPOSER

- 3½" or 6½" SINK COLLAR with SINK STOPPER
- DISPOSER CONTROL
- FLOW CONTROL
- VACUUM BREAKER, ½"
- FIXED NOZZLE, ½"
- SOLENOID VALVE, ½"

Accessories on back page.

DISPOSER ASSEMBLIES

CA Assembly with Disposer, Cone and Control								⊕ C €
	MSS	MSS-LD	MRSS	MRSS-LD	ARSS-2	ARSS	ARSS-LD	WSP
100-CA	\$4,232	\$4,642	\$4,592	\$5,002	\$5,720	\$7,030	\$7,440	\$7,790
1 HP	P \$4,450	P \$4,860	P \$4,810	P \$5,220	P \$5,938	P \$7,248	P \$7,658	P \$8,008
97 lbs.	PP \$4,772	PP \$5,180	PP \$5,134	PP \$5,542	PP \$6,262	PP \$7,572	PP \$7,980	PP \$8,332
200-CA	\$5,580	\$5,990	\$5,916	\$6,326	\$7,054	\$8,182	\$8,592	\$8,940
2 HP	P \$5,800	P \$6,208	P \$6,136	P \$6,544	P \$7,274	P \$8,400	P \$8,810	P \$9,160
101 lbs.	PP \$6,122	PP \$6,532	PP \$6,458	PP \$6,868	PP \$7,596	PP \$8,724	PP \$9,134	PP \$9,482
300-CA 3 HP 115 lbs.	\$6,692	\$7,102	\$7,042	\$7,452	\$8,104	\$9,252	\$9,660	\$10,008
	P \$6,910	P \$7,320	P \$7,260	P \$7,670	P \$8,324	P \$9,470	P \$9,880	P \$10,226
	PP \$7,234	PP \$7,642	PP \$7,584	PP \$7,994	PP \$8,646	PP \$9,794	PP \$10,202	PP \$10,550
500-CA	\$8,670	\$9,080	\$9,048	\$9,458	\$10,114	\$11,326	\$11,736	\$12,090
5 HP	P \$8,888	P \$9,298	P \$9,266	P \$9,676	P \$10,332	P \$11,544	P \$11,954	P \$12,310
121 lbs.	PP \$9,212	PP \$9,622	PP \$9,590	PP \$10,000	PP \$10,656	PP \$11,868	PP \$12,278	PP \$12,632
	Add 8 lbs.	Add 9 lbs.	Add 16 lbs.	Add 17 lbs.	Add 21 lbs.	Add 22 lbs.	Add 23 lbs.	Add 27 lbs. Includes Operator Sensor

Add 2 lbs. for P-Type Control Panel: Mounted solenoid valve and flow control.

Add 3lbs. for PP-Type Control Panel: Mounted solenoid valve, flow control and pressure switch.

Designate DISPOSER MODEL, CONE SIZE (12", 15", or 18"), CONTROL, ONE OPERAT-ING VOLTAGE and PHASE when ordering.

ORDERING EXAMPLE:

300 - CA - 18 - ARSS - 460V - 3 PHASE



12" CONE



15" CONE



18" CONE

EQUIPMENT FURNISHED:

- DISPOSER
- DISPOSER CONTROL
- CONE

- VACUUM BREAKER, ½"
- SOLENOID VALVE, ½"
- FIXED NOZZLE, ½"
- SCRAP RING
- FLOW CONTROL

Accessories on back page.

FOOD WASTE SCRAPPING SYSTEMS

ScrapMaster_® with Disposer* and Control







ScrapMaster



Pot/Pan

Model PSM

Food Waste Scrapping, Pre-flushing & Disposing System with Water Recirculation

ScrapMaster

HP

3

5

MODEL SM

300 SM

500 SM

Model SM



EQUIPMENT FURNISHED:

- Disposer Disposer Safety Cover
- Scrap Basin with Silverware Trap
- Incoming Water & Check Valves
- Self-Cleaning Separator & Motor Quick-Opening Drain Valve

PRICE

\$23,128

\$25,094

- Non-Clogging Pump & Thermally-Protected Motor
- Automatic Reversing Control Panel
- Operator Sensor

WGT/LBS

309

315



MODEL PSM

300 PSM

500 PSM

Specify ONE OPERATING VOLTAGE when ordering!

230V

TroughVeyor® with Disposer* and Control





460V





Food Waste Conveying & Disposing System with Water Recirculation

TroughVeyor Model TVL

Left-Hand Operation



EQUIPMENT FURNISHED:

- Disposer Disposer Safety Cover
- Scrap Basin with Silverware Trap
- Trough Diffuser
- Incoming Water & Check Valves
- Self-Cleaning Separator & Motor
- Quick-Opening Drain Valve
- Non-Clogging Pump & Thermally-Protected Motor
- Automatic Reversing Control Panel



TroughVeyor Model TVR

Right-Hand Operation

HP	MODEL TVL	MODEL TVR	WGT/LBS	PRICE
3	300 TVL	300 TVR	304	\$23,128
5	500 TVL	500 TVR	310	\$25,094

^{*}The disposer is not included in the NSF listing

Voltage Available in 3 PHASE Only:

■ 208V

■ 208 V

230V

■ 460 V

Specify ONE OPERATING VOLTAGE when ordering!

Collectors™ with Controls







Food Waste Scrapping/Conveying & Collecting Systems with Water Recirculation

Scrap **Collector**



WGT/LBS **PRICE** MODEL S914 145 \$16,700

Pot/Pan Collector

PRICE MODEL WGT/LBS P914 153 \$16,700

Trough Collector

PRICE MODEL WGT/LBS S419 138 \$16,700

VOLTAGE AVAILABLE:

1 PHASE 3 PHASE ■115V ■208V ■230V ■208V ■230V ■460V

Specify ONE OPERATING VOLTAGE and PHASE when ordering!

EQUIPMENT FURNISHED:

- Scrap Basin with Silverware Trap
- Corrosion-Resistant Pump
- Incoming Water & Check Valves (Model S419 includes a Trough Diffuser)
- Scrap Basket
- Start/Stop Control Panel
- Operator Sensor (\$914 & P914 only)
- Non-Clogging Pump & Thermally-Protected Motor
- Pump Intake Screen

NOTE: When requesting a quote or when ordering any food waste scrapping & handling system, please specify **ONE OPERATING VOLTAGE, PHASE** and provide a **FLOOR PLAN** of the dishroom to insure proper machine location.

^{*}The disposer is not included in the NSF listing

ACCESSORIES

DISPOSER			DISPOSER			COLLECTORS			
	DESCRIPTION Replacement Adaptor Kits(Refer to Adaptor Chart.) 3 ½" Sink Collar	PRICE . \$226		DESCRIPTION Standard Prison Package: Includes Disposer Safety Guard & Security Screws W/ Tool for Control Panel	PRICE		DESCRIPTION (FOR ALL COLLECTOR Scrap Basin Item No. 992011	***	
	with Stopper (Bolt-in) Item No. 70			Disposer Safety Guard	\$218 \$146		Scrap Basket Item No. 992013 Modification Item No. PMM	\$1,714	
	Item No. 65SC	d-in)		Control Padlock Hasp Item No. 997101(2 included) Seismic Stainless Bolt-dow			Standard Prison Packag Includes Service Cover at Security Screws with Toc Control Panel and Cover Item No. 980602 (S914-P914) Item No. 980603 (S419)	nd ol for	
	3½" Item No. 50886½" Item No. LRS	\$110		Flange for Disposer Leg Item No. SLE8SS (1-2 HP) Item No. SLE6SS (3-5 HP)	DIZU		Control Panel Padlock I Item No. 997101 (2 included		
	12" Item No. 12CB	\$604	SC	RAPMASTER			Seismic Stainless Steel Flanges for 3 Support L Item No. 980211	egs	
	12" Item No. 12CC 15" Item No. 15CC 18" Item No. 18CC	\$250	8	DESCRIPTION Standard Prison Package: Includes Security Screws w/ To Service Covers and Control Pa	inel	FOR MODI	Full Stainless Steel C	over	
	Fixed Nozzle, ½" Item No. 2906 Rubber Scrap Ring Item No. M2357	****		Control Panel Padlock Has Item No. 997101 (2 included))		Gusher Head Assemb	oly \$340	
	(For 6½" sink opening) Drop-In Throat Guard Item No. 980182 (For 6½" sink opening) Domed Silver Saver	. \$430		Seismic Stainless Steel Bo Flanges for 5 Support Leg Item No. 980211	S	一节	Trough Diffuser Item No. 980061 Rack Guide Item No. 1219		
	Item No. DSS(For 61/2" sink opening)	\$396	TRO	DUGHVEYOR			CRIPTION	PRICE	
	Perforated Silver Saver Item No. PSS(For 6½" sink opening) OFC Offset Chute Item No. OFC	\$1620		DESCRIPTION Full Stainless Steel Cov Item No. 980101		RSS for a ltem	-Remote Start/Stop Swit II Controls No. RSS (For Disposers) No. RSS2 (For Systems)	ch \$828	
	Support Legs w/ Stai Steel Bolt-down Flang Disposer Support Leg	nless		Gusher Head Assemb Item No. 988001		RSS MRS	nting Bracket for: , MSS, MSS-LD, MRSS, S-LD and MRSS-TD Cont No. 980104		
	Item No. LSA8 (1-2 HP) Item No. LSA35 (3-5 HP) Seismic Leg Flange Item No. SI E8SS (1-2 HP) add	\$204		Trough Diffuser Item No. 980061	\$354	ARS	nting Bracket for: S-2, ARSS and ARSS-LD No. 980105		
	Item No. SLESSS (1-2 HP) add Item No. SLE6SS (3-5 HP) add Stainless Steel Dejamming Tool Item No. DP	\$120	8	Standard Prison Package Includes Security Screws W/ Tool for Service Covers and Control Panel Item No. 980600			ALL BRACKETS ARE GUSSETED ON BACK SIDE		
	Vacuum Breaker, ½" Item No. 288AC	****		Control Panel Padlock Hasp Item No. 997101 (2 included) .		and flow contr Item No. P	I Panel: Mounted solenoic ol for all Controls ol Panel: Mounted soleno	\$220	
	Solenoid Valve, ½" with Flow Control Item No. AS824 for 24V Item No. AS8115 for 115V Item No. AS8208 for 208V Item No. AS8460 for 460V	\$372		Seismic Stainless Steel B Flanges for 5 Support Leg Item No. 980211	olt-down gs	flow control ar Item No. PP Operator Senso	of Parel: Modified Solerid ad pressure switch for all Co	ntrols \$542	